PAUL LYNCH **DEL-MAR-VA NURSERIES** Lincoln, Delaware E. L. LYNCH

Wholesale Trade List Liners and Finished Stock

February 10, 1958

Return Postage Guaranteed

LIBRARY U. S. Department of Agriculture REOFITED * FEB 24 1958 *

Sec. 34.66, P. L. & R.

U. S. POSTAGE

Permit No. 2 Lincoln, Del. PAID

> Walph R. Shaw, and Agriculture Ralph R. Shaw, Tibrarian Washington 25, D. C.



LIBRARY RECEIVED

WE wish at this time to thank our customers for their liberal patronage of past seasons and respectfully solicit future orders.

For over 30 years we have been serving a long list of patrons and rank as one of the larger growers.

SCHEDULE OF B&B CHARGES

The following charges are made to cover additional cost of balling and burlapping deciduous trees and shrubs that are not listed B&B.

These charges are based on a carefully dug, solid ball of earth, laced with rope and handled according to the best nursery practice.

Diam.	Size	Estimated Weight	Each
10"	18/24"	30 lbs.	.50
12"	2/3'	45 lbs.	.80
13"	3/4	60 lbs.	1.20
15"	4/5'	75 lbs.	1.50
16"	5/6'	100 lbs.	2.00
18"	6/8'	150 lbs.	3.00
21"	8/10'	225 lbs.	5.00
24"	2" cal.	300 lbs.	8.00
28"	2½" cal.	425 lbs.	10.00
32"	3" cal.	750 lbs.	12.50
36"	3½" cal.	1150 lbs.	20.00
40"	4" cal.	1600 lbs.	25.00
44"	4½" cal.	2100 lbs.	30.00

The above charges apply F. O. B. NURSERY

THIS PRICE LIST IS ALSO YOUR HANDY ORDER BLANK

Just encircle the price and write the number of plants desired directly opposite the circled price. We will send you another price list immediately upon receipt of your order. Place in envelope and mail to us.

Name			**************************************
Address	9		
City		S	tate



LINING OUT STOCK

Our stock of liners have been produced with the aid of irrigation and we feel that they are very good. EXPLANATION OF GRADES: We are listing our liners in grades by the number of years they have been growing under the lath screens; for example, 1 yr. means 1 year in outside beds. 2 yr. would be 2 years outside, etc.

Order in Multiples of 25

Order in multiples of 20	,			
Abelia, Grandiflora	2	yr.	@	17½c
Abelia, Sherwoodi	2	yr.	@	171/2C
Acer, Palmatum Atropurpureum Sdgs.	1	yr.	@	10c
Azalea, Fashion (Glenn Dale)		yr.		25c
Azalea, Fashion (Glenn Dale)	ī	yr.		
	2	yr.	@	~ ~
Azalea, Gaiety (Glenn Dale)				15c
Azalea, Gaiety (Glenn Dale)		yr.	-	
Azalea, Glacier (Glenn Dale)	2	yr.	@	25c
Azalea, Glacier (Glenn Dale)		yr.	_	15c
Azaiea, Herbert (Gabie)	2	yr.	@	25c
Azalea, Herbert (Gable)		yr.	@	15c
Azalea, Hinodegiri	3	yr.	@	30c
Azalea, Hinodegiri	2	yr.	@	25c
Azalea, Salmon Beauty	2	yr.	@	25c
Azalea, Salmon Beauty	1	yr.	@	15c
Azalea, Snow	2	yr.	@	25c
Azalea, Snow	ī	yr.	@	15c
Azalea, Souveneir	2	yr.		
Azalea Winner (Clara Dela)	2		-	
Azalea, Winner (Glenn Dale)		yr.	@	
Azalea, Winner (Glenn Dale)	1	yr.		15c
Berberis, Chenaulti	2	yr.		30c
Berberis, Chenaulti	1	yr.	@	
Berberis, Juliana	2	yr.	@	30c
Berberis, Juliana	1	yr.	@	20c
Berberis, Sargenti	1	yr.	@	20c
Buxus Sempervirens, Fastigata	3	yr.	@	
Buxus Sempervirens, Fastigata	1	yr.		25c
Chamaecyparis, Obtusa Crippsi	3	yr.	@	40c
	2	•	_	30c
Chamaecyparis, Obtusa Crippsi		yr.	@	
Chamaecyparis, Obtusa Crippsi	1	yr.	@	20c
Castanea, Chinese Chestnut (2-3' Sdgs.)		yr.	_	40c
Cotoneaster, Salicifolia	2	yr.	@	30c
Cotoneaster, Salicifolia	1	yr.	@	20c
Euonymous, Japonica Microphylla	2	yr.	@	25c
Euonymous, Japonica Microphylla	1	yr.	@	20c
Ilex, Aquifolium Femina	1	yr.	@	40c
Ilex, Aquifolium Male	1	yr.	@	40c
Ilex, Aquipern	2	yr.	@	50c
Ilex, Aquipern	1	yr.	-	40c
Ilex, Aquifolium Pyramidalis	2	yr.	a	50c
Ilex, Aquifolium Pyramidalis		yr.	@	40c
	2	-	-	45c
Ilex, Cilispinosa		yr.	@	
Ilex, Crenata Convexa Bullata	2	yr.		20c
Ilex, Crenata Convexa Bullata	1	yr.	@	15c
Ilex, Crenata Glass	2	yr.	@	20c
Ilex, Crenata Helleri	2	yr.	@	25c
Ilex, Crenata Helleri	1	yr.	@	15c
Ilex, Crenata Microphyllia	2	yr.	@	20c
Ilex, Crenata Microphyllia	1	yr.	@	15c
Ilex, Crenata Rotundifolia		yr.	@	20c
Ilex, Crenata Rotundifolia	1	yr.	0	15c
Vlex, Cornuta	2	yr.	@	30c
Ilex, Cornuta Male	1	yr.		
			@	25c
Ilex, Cornuta Burfordi	2	yr.	@	30e
Ilex, Cornuta Burfordi	1	vr.	0	25c
Ilex, Opaca Femina	2	yr.	0	30c
Ilex, Opaca Femina	1	yr.	(1)	25c
Ilex. East Palatka	2	yr.	@	30c
Juniper, Armstrong (dwarf pfitz. type)	3	yr.	@	35c
Juniper, Armstrong (dwarf pfitz. type)	2	yr.	0	30c
Juniper, Armstrong (dwarf pfitz. type)	1	yr.	_	20c
Juniper, Hetzii	3	yr.	-	35c
	J	J1.	w	000

Juniper, Hetzii	2	yr.	0	30c
Juniper, Hetzii	1	yr.		20c
Juniper, Pfitzer	3	THE RESERVE		35c
Juniper Pfitzer	2			30c
Ligustrum, Lucidum (upright)	2		10.	20c
Ligustrum, Lucidum (upright)	ī			15c
Ligustrum, Lucidum (spreading)	2			20c
Ligustrum, Lucidum (spreading)	1	10.00		15c
Osmanthus, Aquifolium	2	yr.		
Osmanthus, Aquifolium	ī	yr.		20c
Osmanthus, Fortunei	2			30c
Osmanthus, Fortunei	100.557	-	_	20c
Pachysandra Terminalis 2 yr. field	nla	nts	0	10c
Prunus, Lauracerasus Schipkaensis		yr.		30c
Prunus, Lauracerasus Schipkaensis	ĩ	yr.	_	25c
Pyracanthea, Formosa	2	yr.	-	30c
Pyracanthea, Graberi	2	yr.	-	30c
Pyracanthea, Lalandi	2	Date of the Asset	The same	30c
Taxus, Bacata Repandens	2	yr.	-	40c
Taxus, Bacata Repandens		yr.	=	30c
		yr.	-	THE PARTY OF THE P
Taxus, Cuspidata Capitata 1 yr. Taxus, Cuspidata (Spdg.)			@	10c
Taxus, Cuspidata (Spdg.)	3		@	30c
Taxus, Cuspidata (Spdg.)	2	yr.		22½c
	1	yr.	10.5	15c
Taxus, Cuspidata Nana	3	yr.		35c
Taxus, Cuspidata Nana	2	yr.		25c
Taxus, Cuspidata Nana	1	yr.	-	20c
Taxus, Brownii	3	yr.		30c
Taxus, Brownii	2	yr.		22½c
Taxus, Brownii	1	yr.		15c
Taxus, Hatfield	3	yr.	@	35c
Taxus, Hatfield	2	yr.		25c
Taxus Hatfield	1	yr.		20c
Taxus, Hicksii	2	yr.		22½c
Taxus, Hicksii	1	yr.	@	15c
Taxus, Vermeulen	2	yr.		22½c
Taxus, Vermeulen	1	yr.	@	15c
Thuya, Occ. Globossa (Woodwards)	1	yr.	@	15c
Thuya, Occ. Pyramidalis		yr.	@	25c
Thuya, Occ. Pyramidalis	1	yr.	@	15c
Tsuga, Canadensis	2	yr.	@	30c
Tsuga, Canadensis	1	yr.		20c
Viburnum, Burkwoodi	2	yr.	@	30c
Viburnum, Burkwoodi	1	yr.	@	20c
Viburnum, Chenaulti	3	yr.	@	40c
Viburnum, Chenaulti	2	yr.	@	30c
Viburnum, Chenaulti	1	yr.	@	20c

We have a large supply of (heavy twice tspd.) flowering shrubs in good variety. Come and look them over.

HARDINESS OF PLANTS only applies to this section of the country.

FINISHED STOCK

	1311110 3100	
ABELIA grandiflora		Glossy Abelia
2-3'	B&B	@ 2.00
3-4'	B&B	@ 2.50
ABIES balsamea		Balsam Fir
2-21/2'	B&B	@ 2.75
2½-3'	B&B	@ 3.50
3-4' 4-5'	B&B	@ 4.50 @ 5.50
	B&B	
ACER palmatum atr	opurpureum Re	@ 4.00
18-24"	B&B	@ 5.00
2-2½' 2½-3'	B&B B&B	@ 6.00
	D&D	Silver Maple
ACER dasycarpum	B. R.	@ 2.00
6-8' 8-10'	B. R.	@ 3.00
		Norway Maple
ACER platanoides 8-10' 1-11	/." B B	@ 4.00
9-11' 11/4-	4" B. R. 1½" B. R.	@ 5.00
11-12' 11/2-	1¾" B. R.	@ 6.00
ACER rubrum		or Scarlet Maple
5-6'	B. R.	@ 2.00
6-8'	B. R.	@ 2.75
6-8' 8-10'	B. R.	@ 4.25
9-11' 11/4-	1½" B. R.	@ 5.75
ACER saccharum		Sugar Maple
6-8'	B. R.	@ 3.50
8-10'	B. R.	@ 4.75 @ 6.50
	B. R.	Later Strategic
AZALEA amoena		Purplish Pink
12-15"	B&B	@ 1.60 @ 2.00
15-18" 18-24"	B&B B&B	@ 2.00 @ 3.00
		Bronze Claret-red
AZALEA Claret (C	B&B	@ 1,50
10-12"	B&B	@ 1.75
AZALEA Ethelwyn		Light pink
8-10"	B&B	@ 1.50
10-12"	B&B	@ 1.75
AZALEA Fashion	(G. D)	Begonia-rose
8-10"	B&B	@ 1.50
10-12"	B&B	@ 1.75
AZALEA Flame		
Bright fiam	e-red suffused wi	
10-12"	B&B	@ 1.10
12-15"	B&B	@ 1.60
AZALEA Gaiety (Light rose-pink
8-10"	B&B	@ 1.50
10-12"	B&B	@ 1.75
	G. D.)	White @ 1.75
10-12"	B&B B&B	$\begin{array}{ccc} @ & 1.75 \\ @ & 2.25 \end{array}$
12-15"		
AZALEA Herbert		ourple Very good @ 1.00
10-12"	B&B B&B	@ 1.00 @ 1.50
12-15" 15-18"	B&B	@ 2.00
18-24"	B&B	@ 2.50
AZALEA Hinomay		
Beau		lowers Hardy
8-10"	B&B	@ 1.50
10-12"	B&B	@ 1.75
12-15"	B&B	@ 2.25 @ 3.00
15-18"	B&B	
(Turn	sheet to opposite	e side)



AZALEA Hinodegir	nt goarlot	Most n	opular azalea
		most p	
8-10" 10-12"	B&B	-	1.00
12-15"	B&B	@	1.50
15-18"	B&B	a	2.50
	Bab		
AZALEA Isabel (G	able)		Deep pink
8-10"	B&B	@	
10-12"	B&B	@	1.75
AZATEA Tantas (T-LI-V DLI		G-1
AZALEA Louise (0	Gable) Dbl. B&B	0	Salmon-pink
10-12"	B&B	0	1.75
10-12	Бав	· ·	1
AZALEA Salmon	Beauty		Salmon-pink
8-10"	B&B	@	
10-12"	B&B	@	1.75
AZALEA Sherwood			Light red
8-10"	B&B	@	1.50
10-12"		a	1.75
10-12	Бев	w	1.10
AZALEA Snow	•		White
8-10"	B&B	@	1.25
10-12"	B&B	@	1.50
AZALEA Winner	(C D)		Pink
8-10"	B&B	0	1.50
10-12"	B&B	@	1.75
		•	
AZALEA Yodogawa	Dbl.		Purple-pink
8-10"	B&B		1.25
10-12"	B&B		1.50
18-24"	B&B	@	
If burlapping i			leas 10c per
plant may be dedu	cted from th	e price.	
BERBERIS Sargent	i (Sargent's	Evergree	n Barberry)
15-18" 18-24"	B&B		2.00
18-24"	B&B	@	2.50
		6	2.00
4-4-72	Б&Б	@	3.50
Boxwood was	slightly bur	@	3.50
4-4-72	slightly bur	@	3.50
Boxwood was has not entirely co	slightly bur me back.	e @ ned last	3.50 winter and
Boxwood was has not entirely co	slightly bur me back.	ned last	3.50 winter and ree Boxwood
Boxwood was has not entirely co BUXUS sempervire 12-18"	slightly bur me back. ens Arboresc B. R.	med last	3.50 winter and ree Boxwood .60
Boxwood was has not entirely co BUXUS sempervire 12-18" 18-24"	slightly bur me back. ens Arboresc B. R. B&B	med last ens Tr	3.50 winter and ree Boxwood .60 2.00
Boxwood was has not entirely co BUXUS sempervire 12-18" 18-24" 2-2½'	slightly bur me back. ens Arboresc B. R. B&B B&B	ens Ti	3.50 winter and ree Boxwood .60 2.00 2.75
Boxwood was has not entirely co BUXUS sempervire 12-18" 18-24"	slightly bur me back. ens Arboresc B. R. B&B	ens Tr	3.50 winter and ree Boxwood .60 2.00 2.75 3.50
Boxwood was has not entirely co BUXUS sempervire 12-18" 18-24" 2-2½' 2½-3'	slightly bur me back. ans Arboresc B. R. B&B B&B B&B	ens Ti	3.50 winter and ree Boxwood .60 2.00 2.75
Boxwood was has not entirely co BUXUS sempervire 12-18" 18-24" 2-2½' 2½' 2½-3' 3-4' 4-5'	slightly bur me back. ens Arboresc B. R. B&B B&B B&B B&B B&B	ens Tr	3.50 winter and ree Boxwood .60 2.00 2.75 3.50 5.00
Boxwood was has not entirely co BUXUS sempervire 12-18" 18-24" 2-2½' 2½-3' 3-4' 4-5' BUXUS sempervire	slightly bur me back. Sens Arboresce B. R. B&B B&B B&B B&B B&B B&B B&B B&B B&B B&	ens Tr	3.50 winter and ree Boxwood .60 2.00 2.75 3.50 5.00 7.50 ash Boxwood
Boxwood was has not entirely co BUXUS sempervire 12-18" 18-24" 2-2½' 2½-3' 3-4' 4-5' BUXUS sempervire 6-8"	slightly bur me back. sns Arboresc B. R. B&B B&B B&B B&B B&B B&B B&B B&B B&B B&	ens Tr	3.50 winter and ree Boxwood .60 2.00 2.75 3.50 5.00 7.50 ash Boxwood .35
Boxwood was has not entirely co BUXUS sempervires 12-18" 18-24" 2-2½' 2½-3' 3-4' 4-5' BUXUS sempervires 6-8" 8-10"	slightly bur me back. sns Arboresc B. R. B&B B&B B&B B&B B&B B&B B&B B&B B&B B&	ens Tr	3.50 winter and ree Boxwood .60 2.00 2.75 3.50 5.00 7.50 ash Boxwood .35 .60
Boxwood was has not entirely co BUXUS sempervire 12-18" 18-24" 2-2½' 2½-3' 3-4' 4-5' BUXUS sempervire 6-8" 8-10" 10-12"	slightly bur me back. SAR Arboresc B. R. B&B B&B B&B B&B B&B B&B B&B B&B B&B B&	ens Tr	3.50 winter and ree Boxwood .60 2.00 2.75 3.50 5.00 7.50 ash Boxwood .35 .60 1.00
Boxwood was has not entirely co BUXUS sempervire 12-18" 18-24" 2-2½' 2½-3' 3-4' 4-5' BUXUS sempervire 6-8" 8-10" 10-12" 10-12"	slightly bur me back. ans Arboresc B. R. B&B B&B B&B B&B B&B B&B B&B B&B B&B B&	ens Ti	3.50 winter and ree Boxwood .60 2.00 2.75 3.50 5.00 7.50 ash Boxwood .35 .60 1.00 1.25
Boxwood was has not entirely co BUXUS sempervire 12-18" 18-24" 2-2½' 2½-3' 3-4' 4-5' BUXUS sempervire 6-8" 8-10" 10-12" 10-12" 12-15"	slightly bur me back. sns Arboresc B. R. B&B B&B B&B B&B B&B B&B B&B B&B B&B B&	ens Ti	3.50 winter and ree Boxwood .60 2.00 2.75 3.50 5.00 7.50 ash Boxwood .35 .60 1.00 1.25 1.50
Boxwood was has not entirely co BUXUS sempervire 12-18" 18-24" 2-2½' 2½-3' 3-4' 4-5' BUXUS sempervire 6-8" 8-10" 10-12" 10-12"	slightly bur me back. ans Arboresc B. R. B&B B&B B&B B&B B&B B&B B&B B&B B&B B&	ens Ti	3.50 winter and ree Boxwood .60 2.00 2.75 3.50 5.00 7.50 ash Boxwood .35 .60 1.00 1.25 1.50 2.00
Boxwood was has not entirely co BUXUS sempervire 12-18" 18-24" 2-2½ 3' 3-4' 4-5' BUXUS sempervire 6-8" 8-10" 10-12" 10-12" 12-15" 15-18" 18-24"	slightly bur me back. Ins Arboresc B. R. B&B B&B B&B B&B B&B B&B B&B B&B B&B B&	ens Ti	3.50 winter and ree Boxwood .60 2.00 2.75 3.50 5.00 7.50 ash Boxwood .35 .60 1.00 1.25 1.50
Boxwood was has not entirely co BUXUS sempervire 12-18" 18-24" 2-2½-3' 3-4' 4-5' BUXUS sempervire 6-8" 8-10" 10-12" 10-12" 12-15" 15-18" 18-24" BUXUS suffruticos:	slightly bur me back. Ins Arboresc B. R. B&B B&B B&B B&B B&B B&B B&B B&B B&B B&	ens Tr	3.50 winter and ree Boxwood .60 2.00 2.75 3.50 5.00 7.50 ash Boxwood .35 .60 1.00 1.25 1.50 2.00
Boxwood was has not entirely co BUXUS sempervires 12-18" 18-24" 2-2½' 2½-3' 3-4' 4-5' BUXUS sempervires 6-8" 8-10" 10-12" 10-12" 12-15" 15-18" 18-24" BUXUS suffruticos: 4-6"	slightly bur me back. Ins Arboresc B. R. B&B B&B B&B B&B B&B B&B B&B B&B B&B B&	ens Tr	3.50 winter and ree Boxwood .60 2.00 2.75 3.50 5.00 7.50 ash Boxwood .35 .60 1.00 1.25 1.50 2.00 2.50 anglish dwarf
Boxwood was has not entirely co BUXUS sempervire 12-18" 18-24" 2-2½-3' 3-4' 4-5' BUXUS sempervire 6-8" 8-10" 10-12" 10-12" 12-15" 15-18" 18-24" BUXUS suffruticos:	slightly bur me back. In S Arboresc B. R. B&B B&B B&B B&B B&B B&B B&B B&B B&B B	ens Tr	3.50 winter and ree Boxwood .60 2.00 2.75 3.50 5.00 7.50 ash Boxwood .35 .60 1.00 1.25 1.50 2.00 2.50 aglish dwarf
Boxwood was has not entirely co BUXUS sempervires 12-18" 18-24" 2-2½' 2½-3' 3-4' 4-5' BUXUS sempervires 6-8" 8-10" 10-12" 10-12" 12-15" 15-18" 18-24" BUXUS suffruticos: 4-6" 6-8"	slightly bur me back. Ins Arboresc B. R. B&B B&B B&B B&B B&B B&B B&B B&B B&B B&	ens Transfer of the control of the c	3.50 winter and ree Boxwood .60 2.00 2.75 3.50 5.00 7.50 ash Boxwood .35 .60 1.00 1.25 1.50 2.00 2.50 anglish dwarf .30 .50
Boxwood was has not entirely co BUXUS sempervires 12-18" 18-24" 2-2½' 2½-3' 3-4' 4-5' BUXUS sempervires 6-8" 8-10" 10-12" 10-12" 12-15" 15-18" 18-24" BUXUS suffruticos: 4-6" 6-8" CERCIS canadensis	slightly bur me back. Ins Arboresc B. R. B&B B&B B&B B&B B&B B&B B&B B&B B&B B&	ens Transfer of the control of the c	3.50 winter and ree Boxwood .60 2.00 2.75 3.50 5.00 7.50 ash Boxwood .35 .60 1.00 1.25 1.50 2.00 2.50 anglish dwarf .30 .50 ican Redbud
Boxwood was has not entirely co BUXUS sempervires 12-18" 18-24" 2-2½' 2½-3' 3-4' 4-5' BUXUS sempervires 6-8" 8-10" 10-12" 10-12" 12-15" 15-18" 18-24" BUXUS suffruticos: 4-6" 6-8" CERCIS canadensis 6-8'	slightly bur me back. Ins Arboresc B. R. B&B B&B B&B B&B B&B B&B B&B B&B B&B B&	ens Transfer of the control of the c	3.50 winter and ree Boxwood .60 2.00 2.75 3.50 5.00 7.50 ash Boxwood .35 .60 1.00 1.25 1.50 2.00 2.50 anglish dwarf .30 .50 ican Redbud 2.60
Boxwood was has not entirely co BUXUS sempervires 12-18" 18-24" 2-2½' 2½-3' 3-4' 4-5' BUXUS sempervires 6-8" 8-10" 10-12" 10-12" 12-15" 15-18" 18-24" BUXUS suffruticos: 4-6" 6-8" CERCIS canadensis	slightly bur me back. Ins Arboresc B. R. B&B B&B B&B B&B B&B B&B B&B B&B B&B B&	ens Transfer of the control of the c	3.50 winter and ree Boxwood .60 2.00 2.75 3.50 5.00 7.50 ash Boxwood .35 .60 1.00 1.25 1.50 2.00 2.50 anglish dwarf .30 .50 ican Redbud

CHAMAECYPARIS	squaro	ssa veit	chif		
			Moss	Retin	ospora
2-21/2'	B&B		0	2.00	
21/2-3'	B&B		0	2.50	
3-31/2'	B&B		@	3.00	
Less 10% in	truck	load lots	3		
ELAEAGNUS fruitl					Olive
2-3'	B&B	5000000000000	Q	3.00	
FRANKLINIA alata	amaha	Gordonia			
5-6'	B&B		0	7.50	
GLEDITSIA triacar	nthus i	ntermis	100	1	Locust
10-12'	1%-2"	cal.	0	7.50	
12-14'	2-21/2"			0.00	
GYMNOCLADUS di	oloo		Wan	tucky	Coffee
5-6'	B. R.			3.00	COHEC
6-8'	B. R.			3.75	
TT DAY					
ILEX aquifolium	202		The second second	nglish	Holly
15-18"	B&B		0	3.00	
ILEX aquifolia pyr	amidali	s			
15-18"	B&B			3.00	
18-24"	B&B		@	4.00	
ILEX aquipern			Englis	sh X-l	Pernyi
15-18"	B&B		@		
ILEX cornuta Mase			CT.		TT-11-
18-24"	B&B			inese	Holly
2-21/2'	B&B			4.00	
21/2-3'	B&B			5.50	
3-31/2'	B&B			7.50	
II DV					
ILEX cornuta Buri				rford	Holly
18-24"	B&B B&B			2.75 3.25	
	Б&Б		0	3.29	
ILEX crenata				anese	Holly
12-18"	B&B			1.75	
18-24" 2-2½'	B&B		THE RESERVE AND ADDRESS OF THE PARTY OF THE	2.75	
21/2-3'	B&B B&B		_	$\frac{3.50}{4.25}$	
ILEX crenata Conv		C		ıllata	Holly
12-15"	B&B B&B	Spread Spread		1.00	
15-18"	B&B	Spread		9 95	
18-24"	B&B	Spread	0	3.25	
2-21/2'	B&B	Spread		4.00	
21/2-3'	B&B	Spread	-	5.00	
ILEX crenata Micr	onhvlla		Little	leaf	Holly
15-18"	B&B		@		liony
ILEX crenata Rotu					Hell-
12-15"	B&B	4, 500		l leaf 1.90	Holly
15-18"	B&B			2.25	
	Dab				TT-11-
ILEX glabra	В&В			tberry	Holly
4-5'	B&B			5.50	
5-6'	B&B		-	7.50	
ILEX opaca femina				rican	Holl-
2-21/2'	B&B		@		HOITY
2½-3'	B&B			5.00	
					TT - 11
ILEX opaca Arden				rden	Holly
18-24"	B&B		@	4.25	
ILEX opaca East P				last Pa	alatka
15-18"	B&B		Vita I	2.75	
18-24"	B&B		7.1	3.50	
3-4'	B&B		@	5.25	

QUERCUS lyrata			(ver-cup	Oak
(One of the	best o	ornam	ental o	oaks)	
134 -2" Cal.	3. R.		a	3.00	
2-2½" Cal. I	3. K.		@	11.50 15.00	
2½-3" Cal. 1	5, 16,		· ·		
QUERCUS palustris					Oak
1¾-2" Cal. 1 2-2½" Cal. 1	B. R.		@	9.00	
2-2-½ Cal. 1	B. R.		@	11.50 15.00 17.50	
2½-3" Cal. 1 3-3½" Cal. 1 3½-4" Cal. 1	B. R.		@	17.50	
3½-4" Cal. 1	B. R.			20.00	
A 1	ew lar	ger or			
QUERCUS prinus				Chestnut	Oak
11/ 13/" Cal	B. R.		@	8.00	
1¾-2" Cal. 2-2½" Cal.	B, R,		a	10.00 12.50	
2-2-/2 Cai.	D. 10.				0.1
QUERCUS phellos				Willow 8.00	Oak
QUERCUS phellos 1\frac{1}{4}-1\frac{1}{2}" Cal. 1\frac{1}{2}-1\frac{3}{4}" Cal.	B. R.		@	9.00	
1½-1¾ Cai.	В. 10.				
SOPHORA japonica				Pagoda	Tree
	B. R. B. R.		@	5.50 6.75	
6-8'	ь. п.				
TAXUS bacata aure	a	W. Santa	Golden	English	Yew
18-24" 2-2½'	B&B		@	3.50 4.50	
2-21/2'	B&B				
TAXUS cuspidata			S	pdg. Jap	. Yew
15-18"	в&в		. @	2.75	
18-24" 2-2½'	B&B B&B		@	3.50 4.25	
	Бар				
TAXUS cuspidata	Capitat	a (1	Limted)	77
			Upr	ignt Jap	. Yew
	Capitat B&B		Upri	3.50	
18-24" TAXUS media Hick	B&B		Upri	3.50	
18-24" TAXUS media Hick	B&B		(3.50 Hick	
18-24" TAXUS media Hick 15-18" 18-24"	B&B sii B&B B&B		(Dpr: (Q) (Q) (Q)	3.50 Hick 2.00 3.00	
18-24" TAXUS media Hick 15-18" 18-24"	B&B ssii B&B B&B B&B		(Dpr: (Q) (Q) (Q) (Q)	3.50 Hick	
18-24" TAXUS media Hick 15-18" 18-24" 2-2½' 2½-3	B&B Sii B&B B&B B&B B&B	-	(Prince)	Hick 2.00 3.00 4.00 5.00	s Yew
18-24" TAXUS media Hick 15-18" 18-24" 2-21/2' 21/2-3' TAXUS media Vern	B&B asii B&B B&B B&B B&B B&B B&B	-	Oprio	3.50 Hick 2.00 3.00 4.00 5.00	s Yew
18-24" TAXUS media Hick 15-18" 18-24" 2-21/2' 21/2-3' TAXUS media Vern	B&B asii B&B B&B B&B B&B B&B B&B	-	Upr @ @ @ @ Ve:	3.50 Hick 2.00 3.00 4.00 5.00 rmeuleu: 2.00	s Yew
18-24" TAXUS media Hick 15-18" 18-24" 2-2½' 2½-3' TAXUS media Verr 15-18" 18-24"	B&B asii B&B B&B B&B B&B B&B B&B	-	Upr @ @ @ @ Ve:	3.50 Hick 2.00 3.00 4.00 5.00	s Yew
18-24" TAXUS media Hick 15-18" 18-24" 2-2½' 2½-3' TAXUS media Vern 15-18" 18-24" 2-2½'	B&B ssii B&B B&B B&B B&B B&B B&B B&B B&B B&B B	-	Upr @ @ @ @ Ve:	3.50 Hick: 2.00 3.00 4.00 5.00 rmeuleu: 2.00 3.00 4.00	s Yew n Yew
18-24" TAXUS media Hick 15-18" 18-24" 2-2½' 2½-3' TAXUS media Vern 15-18" 18-24" 2-2½' THUJA occidentalis	B&B ssii B&B B&B B&B B&B B&B B&B B&B B&B	-	Upr @ @ @ We @ @ @ @	3.50 Hick 2.00 3.00 4.00 5.00 rmeuleu 2.00 3.00 4.00 can Arbo	s Yew n Yew
18-24" TAXUS media Hick 15-18" 18-24" 2-2½' 2½-3' TAXUS media Vern 15-18" 18-24" 2-2½'	B&B ssii B&B B&B B&B B&B B&B B&B B&B B&B B&B B	-	Upr @ @ @ We @ @ @ Americ	3.50 Hick 2.00 3.00 4.00 5.00 rmeuleu 2.00 3.00 4.00 can Arbo	s Yew n Yew
18-24" TAXUS media Hick 15-18" 18-24" 2-2½' 2½-3. TAXUS media Vern 15-18" 18-24" 2-2½' THUJA occidentalis 3-3½' 3½-4' 4-4½'	B&B ssii B&B B&B B&B B&B B&B B&B B&B B&B B&B B	-	Upr @ @ @ @ We: @ @ @ @ @ @ @ @ @ @ @ @ @	### 3.50 ###################################	s Yew n Yew
18-24" TAXUS media Hick 15-18" 18-24" 2-2½' 2½-3' TAXUS media Vern 15-18" 18-24" 2-2½' THUJA occidentalis 3-3½' 3½-4'	B&B ssii B&B B&B B&B B&B B&B B&B B&B B&B B&B B	-	Upr @ @ @ Wei @ @ Americ @	### 3.50 ###################################	s Yew n Yew
18-24" TAXUS media Hick 15-18" 18-24" 2-2½' 2½-3' TAXUS media Vern 15-18" 18-24" 2-2½' THUJA occidentalis 3-3½' 3½-4' 4-4½' 4½-5'	B&B ssii B&B B&B B&B B&B B&B B&B B&B B&B B&B B	n	Upr @ @ @ Ve. @ @ @ @ America @ @ @	### 3.50 ###################################	s Yew n Yew
18-24" TAXUS media Hick 15-18" 18-24" 2-2½' 2½-3' TAXUS media Verr 15-18" 18-24" 2-2½' THUJA occidentalis 3-3½' 3½-4' 4-4½-5' THUJA occidentalis 18-24"	B&B ssii B&B B&B B&B B&B B&B B&B B&B B&B B&B B	n	Upr @ @ @ @ @ @ @ @ @ @ @ @ @	3.50 Hick: 2.00 3.00 4.00 5.00 rmeuleu: 2.00 3.00 4.00 can Arbo 3.00 4.25 4.75 Golden 1.50	s Yew n Yew
18-24" TAXUS media Hick 15-18" 18-24" 2-2½' 2½-3' TAXUS media Vern 15-18" 18-24" 2-2½' THUJA occidentalis 3-3½' 3½-4' 4-4½' 4½-5' THUJA occidentalis 18-24" 2-2½'	B&B ssii B&B B&B B&B B&B B&B B&B B&B B&B B&B B	n	Upr @ @ @ @ @ @ @ @ @ @ @ @ @	### Hick: 2.00 3.00 4.00 5.00 2.00 3.00 4.00 3.00 3.00 4.00 4.00 4.75 4.75 Golden 1.50 2.00 2.00	s Yew n Yew
18-24" TAXUS media Hick 15-18" 18-24" 2-2½' 2½-3 TAXUS media Verr 15-18" 18-24" 2-2½' THUJA occidentalis 3-3½' 3½-4' 4-4½ 5' THUJA occidentalis 18-24" 2-2½' 2½-3'	B&B ssii B&B B&B B&B B&B B&B B&B B&B B&B B&B B	n entiss	Upr @ @ @ @ @ @ @ @ @ @ @ @ @	3.50 Hick: 2.00 3.00 4.00 5.00 rmeuleu: 2.00 3.00 4.00 can Arbo 3.00 4.25 4.75 Golden 1.50	s Yew n Yew
18-24" TAXUS media Hick 15-18" 18-24" 2-2½' 2½-3' TAXUS media Verr 15-18" 18-24" 2-2½' THUJA occidentalis 3-3½' 3½-4' 4-4½' 4½-5' THUJA occidentalis 18-24" 2-2½' 2½-3' Less 10% in	B&B ssii B&B B&B B&B B&B B&B B&B B&B B&B B&B B	n entiss	Upr @ @ @ @ @ @ @ @ @ @ @ @ @	3.50 Hick: 2.00 3.00 4.00 5.00 rmeuleu: 2.00 3.00 4.00 can Arbo 3.00 4.75 Golden 1.50 2.00 2.75	n Yew
18-24" TAXUS media Hick 15-18" 18-24" 2-2½' 2½-3' TAXUS media Verr 15-18" 18-24" 2-2½' THUJA occidentalis 3-3½ 3½-4' 4-4½ 5' THUJA occidentalis 18-24" 2-2½ 2½-3' Less 10% in THUJA occ. Elwar	B&B ssii B&B B&B B&B B&B B&B B&B B&B B&B B&B B	n entiss	Oprior Op	3.50 Hick: 2.00 3.00 4.00 5.00 rmeuleu: 2.00 3.00 4.00 can Arbo 3.50 4.25 4.75 Golden 1.50 2.00 2.75	s Yew n Yew
18-24" TAXUS media Hick 15-18" 18-24" 2-2½' 2½-3. TAXUS media Verr 15-18" 18-24" 2-2½' THUJA occidentalis 3-3½' 3½-4' 4-4½-5' THUJA occidentalis 18-24" 2-2½' 2½-3' Less 10% in THUJA occ. Elwar 2-2½'	B&B ssii B&B B&B B&B B&B B&B B&B B&B B&B B&B B	n entiss	Upr @ @ @ @ @ @ @ @ @ @ @ @ @	### 3.50 Hick: 2.00 3.00 4.00 5.00 **Timeuleu: 2.00 3.00 4.00 **Can Arbo 3.00 4.25 4.75 Golden 1.50 2.00 2.75 **Tom 2.50	n Yew
18-24" TAXUS media Hick 15-18" 18-24" 2-2½' 2½-3' TAXUS media Verr 15-18" 18-24" 2-2½' 3½-4' 4-4½' 4-4½' 4½-5' THUJA occidentalis 18-24" 2-2½' 2½-3' Less 10% in THUJA occ. Elwar 2-2½' 2½-3' 3-3½' 3-3½'	B&B ssii B&B B&B B&B B&B B&B B&B B&B B&B B&B B	n entiss load	Upr @ @ @ @ @ @ @ @ @ @ @ @ @	### 3.50 Hick: 2.00 3.00 4.00 5.00 **The control of the control	n Yew
18-24" TAXUS media Hick 15-18" 18-24" 2-2½' 2½-3' TAXUS media Verr 15-18" 18-24" 2-2½' 3½-4' 4-4½' 4½-5' THUJA occidentalis 3-3½' 3½-4' 4-4½' 2-2½' 2½-3' Less 10% in THUJA occ. Elwar 2-2½' 2½-3'	B&B ssii B&B B&B B&B B&B B&B B&B B&B B&B B&B B	n entiss load	Upr @ @ @ @ @ @ @ @ @ @ @ @ @	### 3.50 #### 1.50 #### 2.00 #### 3.00 #### 2.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 ### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 ### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 ###	n Yew
18-24" TAXUS media Hick 15-18" 18-24" 2-2½' 2½-3' TAXUS media Verr 15-18" 18-24" 2-2½' 3½-4' 4-4½' 4-4½' 4½-5' THUJA occidentalis 18-24" 2-2½' 2½-3' Less 10% in THUJA occ. Elwar 2-2½' 2½-3' 3-3½' 3-3½'	B&B ssii B&B B&B B&B B&B B&B B&B B&B B&B B&B B	n entiss load	Oprior Op	### 3.50 #### 1.50 #### 2.00 #### 3.00 #### 2.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 ### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 ### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 #### 3.00 ###	n Yew orvitae tipped
18-24" TAXUS media Hick 15-18" 18-24" 2-2½' 2½-3' TAXUS media Verr 15-18" 18-24" 2-2½' 3½-4' 4-4½' 3½-4' 4-4½-5' THUJA occidentalis 18-24" 2-2½' 2½-3' Less 10% in THUJA occ. Elwar 2-2½' 2½-3' Less 10% in THUJA occ. Globos 12-15"	B&B ssii B&B B&B B&B B&B B&B B&B B&B B&B B&B B	n entiss load	Ver @ @ @ @ @ @ @ @ @ @ @ @ @ @ @ @ @ @ @	### Tap #### 3.50 ###################################	n Yew orvitae tipped
18-24" TAXUS media Hick 15-18" 18-24" 2-2½' 2½-3' TAXUS media Verr 15-18" 18-24" 2-2½' THUJA occidentalis 3-3½' 3½-4' 4-½-5' THUJA occidentalis 18-24" 2-2½' 2½-3' Less 10% in THUJA occ. Elwar 2-2½' 2½-3' Less 10% in THUJA occ. Globos	B&B sii B&B B&B B&B B&B B&B B&B B&B B&B B&B B	n entiss load	Upr @ @ @ @ @ @ @ @ @ @ @ @ @	3.50 Hick: 2.00 3.00 4.00 5.00 rmeuleu: 2.00 3.00 4.00 can Arbo 3.00 4.75 Golden 1.50 2.00 2.75 Tom 2.50 3.00 3.75	n Yew orvitae tipped



CHAMAECYPARIS	Ohtusa Nana		
OHAMAEOHAMIS		Hin	oki Cypress)
12-15"	B&B		2.50
15-18"	B&B	@	3.25
CHAMAECYPARIS			tusa Cypress 1.50
18-24"	B&B	@	
2-2½' 2½-3'	B&B B&B	0	
·-			
CHAMAECYPARIS 8-10"	Obtusa Crippsi B&B	@ I	Owarf Golden 2.50
10-12"	B&B	0	
12-15"	B&B	@	4.00
CHAMAECYPARIS	nisifera Sa	wara	Retinospora
15-18"	R&R	@	1.00
18-24"	B&B B&B	Ø.	1.50
2-21/2'	B&B	0	2.00
2½-3'	B&B	@	
3-31/2'	B&B	@	3.00
3½-4'	B&B		3.50
4-5'	B&B		4.00
5-6'	B&B	0	4.75
	truck load lots		
CHAMAECYPARIS			olden Sawara
	B&B	0	
9 91/2	B&B B&B	@	1.50
	B&B	@	2.00 2.50
3-31%	B&B	<u>a</u>	3.00
31/2-4'	B&B	a	3.00 3.50
	truck load lots		
CHAMAECYPARIS	pisifera filifera	a .	
			Retinospora
15-18"	B&B	@	1.50
	B&B	@	
2-2½' 2½-3'	B&B B&B	0	2.50
3-31/2'	B&B	@	3.00 3.50
31/2-4'	B&B	0	4.00
4-5'	B&B	@	4.50
5-6'	B&B	(a)	5.25
	truck load lots		
CHAMAECYPARIS	Plumosa P	lume	Retinospora
15-18"	B&B	@	1.00
18-24" 2-2½'	B&B	@	
2 ¹ / ₂ -3'	B&B B&B	@	2.00
3-31/2'	B&B	@	2.50 3.00
3½-4'	B&B	ã	3.50
Less 10% in	truck load lots	•	
CHAMAECYPARIS	plumosa Aurea		
	Go	olden	Retinospora
15-18"	B&B	@	1.00
18-24" 2-2½'	B&B B&B	@	1.50
21/2-3'	B&B	@	2.00 2.50
3-31/2'	B&B	0	3.00
31/2-4'	B&B	a	3.50
	truck load lots	9	
CHAMAECYPARIS	plumosa Lutes	cens	
			Retinospora
10-12"	B&B Spread	@	1.00
12-15"	B&B Spread	@	1.25
15-18"	B&B Spread	@	1.50
18-24" 2-2½"	B&B Spread B&B Spread	@	
	B&B Spread truck load lots	@	2.50
	work would lots		

JASMINUM nudiflor	rum	Winter Jasmine
12-18"	B. R.	@ .50
18-24"	B. R.	@ .60
JUNIPERUS hibern		Irish Juniper
	B&B	@ 3.50
5-6'	B&B	@ 4.00
JUNIPERUS pfitzer	iana	Pfitzer Juniper
12-15" 15-18"	B&B	@ 1.50
15-18"		@ 2.00
18-24" 2-2½'	B&B B&B	@ 2.75 @ 3.75
4-472	В&В	
JUNIPERUS hetzii		Blue Juniper
	B&B	@ 1.50 @ 2.00
15-18" 18-24"	B&B B&B	@ 2.50 @ 2.50
10-21	Б&Б	
JUNIPERUS sabina		Savin Juniper
15-18" 18-24"	B&B	@ 1.75
	B&B B&B	@ 2.25 @ 3.00
2-472	Б«Б	
LABURNUM vulgar	e _	Goldenchain
	B. R.	@ 3.00 @ 4.50
5-6'	B. R.	@ 4.50
MAGNOLIA grandit	lora	Southern Evergreen
18-24" 2-3'	B&B	@ 2.75 @ 3.75
2-3'	B&B	@ 3.75
MAGNOLIA macrop	hylla	Large white flowers
2-3'	B&B	@ 3.50
		@ 4.50
	B&B	@ 7.50 @ 10.00
5-6'	B&B	W 10.00
MAGNOLIA glauca		Sweet Bay
2-3'	B&B	@ 3.00
3-4'	B&B	@ 4.00
MAGNOLIA nigra		Purple Soulangeana
18-24"	B&B	@ 2.25
2-3'	B&B	@ 2.75
MAGNOLIA stellate		Star Magnolia
		@ 2.75
12-18" 18-24"	B&B	@ 3.50 @ 4.25
2-21/2'	B&B	@ 4.25
WANDINA Jamanti		Heavenly Bamboo
NANDINA domesti 18-24"	B&B	@ 1.75
2-21/2'	B&B	@ 2.00
		Black Gum
NYSSA sylvatica	B&B	@ 6.00
5-6'	B&B	@ 7.50
6-8'	B&B	@ 9.00
A TO THE PART OF T		Sourwod
OXYDENDRON abo	B. R.	@ 3.00
3-4' 4-5'	B. R.	@ 4.00
5-6'	B. R.	@ 5.00
PRUNUS lauracera	sus schinka	ensis
	Sub Bompha	Schipkaensis Laurel
12-15"	B&B	@ 2.00
PINUS resmosa		Red Pine
3-4	B&B	@ 4.25
4-6	B&B	@ 5.50
5-6'	B&B	@ 6.75
PYRACANTHEA c	occinea lala	
		Lalands Firethorn

			150		
THUJA occ Pyram	idalis		Pyramida		orvitae
18-24" 2-2½'	B&B		@	1.25	
2-21/2'	B&B		@		
21/2-3'	B&B		@	2.50	
3-31/2'	B&B		@	3.00	
31/2-4'	B&B		ā	3.50	
4-41/2'	B&B		6	4 25	
41/2-5'	B&B		6	4.25 5.00	
4-/2-5	B&B		0	6.50	
5-6'	В&В		w	0.50	
THUJA occ. warea	na		Siberia	n Arl	orvitae
18-24"	D&D			2.00	
18-24" 2-2½'	DAD			2.50	
2-2/2	D&D		@	3.00	
2½-3'	B&B		w	3.00	
THUJA Orientalis	Eleger	ntissn	ia Galdanin	. A ml	a amerita a
0.0141	Den		Goldspir	9 AT	orvitae
2-21/2'	B&B		@	2.00	
21/2-3'	B&B		@	2.75	
3-31/2'	B&B		@	3.50	
Less 10% in	truck	load	lots		
TILA americana			Ame	rican	Linden
TILA americana 1½-2" Cal. 2-2½" Cal. 2½-3" Cal.	B. R.		@	4.75	
2-21/6" Cal.	B. R.		@	5.25	
21/2-3" Cal	BR		õ	6.50	
3-3½" Cal.	B. R.		0	7.50	
0 0 /2 Cui.	13. 14.				
TSUGA canadensis					lemlock
18-24"	B&B		@	2.25	
2-21/2'	B&B		@	3.00	
18-24" 2-2½" 2½-3"	B&B		@	4.00	
3-31/2'	B&B		@	4.00 5.00	
3-31/2'	B&B				h
VIRURNUM burkw	B&B		Burkwoo	od Vi	b urnum
VIRURNUM burkw	B&B		Burkwoo	od Vi 2.75	burnu m
VIRURNUM burkw	B&B		Burkwoo	od Vi 2.75	b urnum
VIBURNUM burkw 2-2½, 2½-3, 3-4,	B&B oodi B&B B&B B&B		Burkwoo @ @ @	od Vi 2.75 3.25 4.00	burnum
VIRURNUM burkw	B&B		Burkwoo @ @ @	od Vi 2.75	b urnum
VIBURNUM burkw 2-2½, 2½-3, 3-4, 4-5, VIBURNUM carlesi	B&B oodi B&B B&B B&B B&B		Burkwoo @ @ @ @	2.75 3.25 4.00 6.00	
VIBURNUM burkw 2-2½, 2½-3, 3-4, 4-5, VIBURNUM carlesi	B&B oodi B&B B&B B&B B&B		Burkwoo @ @ @ @ Fragra	od Vi 2.75 3.25 4.00 6.00 nt Vi 3.50	burnum burnum
VIBURNUM burkw 2-2½, 2½-3, 3-4, 4-5, VIBURNUM carlesi	B&B oodi B&B B&B B&B B&B		Burkwoo @ @ @ @ Fragra	od Vi 2.75 3.25 4.00 6.00 nt Vi 3.50	
VIBURNUM burkw 2-2½ 2½-3 3-4 4-5 VIBURNUM carlesi 18-24" 2-2½,	B&B oodi B&B B&B B&B B&B B&B B&B		Burkwoo @ @ @ @ Fragra @	od Vi 2.75 3.25 4.00 6.00 nt Vi 3.50 4.50	
VIBURNUM burkw 2-2½ 2½-3' 3-4' 4-5' VIBURNUM carlesi 18-24" 2-2½' 2½-3'	B&B oodi B&B B&B B&B B&B B&B B&B B&B		Burkwoo @ @ @ @ @ @ Fragra @ @ @ @ @ ###########################	od Vi 2.75 3.25 4.00 6.00 nt Vi 3.50 4.50 5.50	
VIBURNUM burkw 2-2½' 2½-3' 3-4' 4-5' VIBURNUM carlesi 18-24" 2-2½' 2½-3' 3-4'	B&B oodi B&B B&B B&B B&B B&B B&B B&B B&B B&B B&		Burkwoo @ @ @ @ @ @ @ Fragra @ @ @ @ @ @ @ @ @ @ @ @ @ @ @ @ @ @ @	od Vi 2.75 3.25 4.00 6.00 nt Vi 3.50 4.50 7.00	burnum
VIBURNUM burkw 2-2½ 2½-3' 3-4' 4-5' VIBURNUM carlesi 18-24" 2-2½' 2½-3' 3-4' VIBURNUM chenau	B&B oodi B&B B&B B&B B&B B&B B&B B&B B&B B&B B&		Burkwoo @ @ @ @ @ @ Fragra @ @ @ Chenau	od Vi 2.75 3.25 4.00 6.00 nt Vi 3.50 4.50 5.50 7.00	
VIBURNUM burkw 2-21/2' 21/2-3' 3-4' 4-5' VIBURNUM carlesi 18-24" 2-21/2' 21/2-3' 3-4' VIBURNUM chenau	B&B oodi B&B B&B B&B B&B B&B B&B B&B B&B B&B B&		Burkwoo	od Vi 2.75 3.25 4.00 6.00 nt Vi 3.50 4.50 5.50 7.00 lt Vi 2.75	burnum
VIBURNUM burkw 2-21/2' 21/2-3' 3-4' 4-5' VIBURNUM carlesi 18-24" 2-21/2' 21/2-3' 3-4' VIBURNUM chenau	B&B oodi B&B B&B B&B B&B B&B B&B B&B B&B B&B B&		Burkwoo @ @ @ @ @ Fragra @ @ @ @ Chenau	od Vi 2.75 3.25 4.00 6.00 nt Vi 3.50 4.50 7.00 lt Vi 2.75 3.25	burnum
VIBURNUM burkw 2-21½ 21½-3' 3-4' 4-5' VIBURNUM carlesi 18-24" 2-21½' 21½-3' 3-4' VIBURNUM chenau 2-21½' 21½-3' 3-4'	B&B oodi B&B B&B B&B B&B B&B B&B B&B B&B B&B B&		Burkwoo	od Vi 2.75 3.25 4.00 6.00 nt Vi 3.50 4.50 7.00 lt Vi 2.75 3.25 4.00	burnum
VIBURNUM burkw 2-2½ 2½-3' 3-4' 4-5' VIBURNUM carlesi 18-24" 2-2½ 2½-3' 3-4' VIBURNUM chenau 2-2½ 2½-3' 3-4'	B&B oodi B&B B&B B&B B&B B&B B&B B&B B&B B&B B&		Burkwoo	od Vi 2.75 3.25 4.00 6.00 nt Vi 3.50 4.50 7.00 lt Vi 2.75 3.25 4.00	burnum
VIBURNUM burkw 2-2½ 2½-3' 3-4' 4-5' VIBURNUM carlesi 18-24" 2-2½' 2½-3' 3-4' VIBURNUM chenau 2-2½' 2½-3' 3-4' 4-5'	B&B oodi B&B B&B B&B B&B B&B B&B B&B B&B B&B B&		Burkwoo @ @ @ @ @ @ @ @ Fragra @ @ @ @ Chenau @ @ @ @ @	od Vi 2.75 3.25 4.00 6.00 nt Vi 3.50 4.50 7.00 lt Vi 2.75 3.25 4.00 6.00	burnum burnum
VIBURNUM burkw 2-2½ 2½-3' 3-4' 4-5' VIBURNUM carlesi 18-24" 2-2½' 2½-3' 3-4' VIBURNUM chenau 2-2½' 2½-3' 3-4' 4-5' VIBURNUM toment	B&B oodi B&B B&B B&B B&B B&B B&B B&B B&B B&B B&		Burkwoo @ @ @ @ @ @ Fragra @ @ @ @ Chenau @ @ @ Doublef	od Vi 2.75 3.25 4.00 6.00 nt Vi 3.50 4.50 5.50 7.00 lt Vi 2.75 3.25 4.00 6.00	burnum
VIBURNUM burkw 2-2½ 2½-3' 3-4' 4-5' VIBURNUM carlesi 18-24" 2-2½ 2½-3' 3-4' VIBURNUM chenau 2-2½ 2½-3' 3-4' 4-5' VIBURNUM toment 2-3' heavy	B&B oodi B&B B&B B&B B&B B&B B&B B&B B&B B&B B&		Burkwoo @ @ @ @ @ @ Fragra @ @ @ @ Chenau @ @ @ Doublef	0d Vi 2.75 3.25 4.00 6.00 nt Vi 3.50 4.50 5.50 7.00 lt Vi 2.75 3.25 4.00 6.00 ile Vi	burnum burnum
VIBURNUM burkw 2-2½ 2½-3' 3-4' 4-5' VIBURNUM carlesi 18-24" 2-2½' 2½-3' 3-4' VIBURNUM chenau 2-2½' 2½-3' 3-4' 4-5' VIBURNUM toment	B&B oodi B&B B&B B&B B&B B&B B&B B&B B&B B&B B&		Burkwoo @ @ @ @ @ @ Fragra @ @ @ @ Chenau @ @ @ Doublef	od Vi 2.75 3.25 4.00 6.00 nt Vi 3.50 4.50 5.50 7.00 lt Vi 2.75 3.25 4.00 6.00	burnum burnum



TERMS AND CONDITIONS OF SALE

This list cancels all previous quotations. All agreements and contracts are made subject to crop losses through unavoidable causes.

TERMS: Cash with order, or all orders must be accompanied by one-fourth of the amount of order and the balance will be shipped C. O. D. unless satisfactory arrangements are made before shipping date. Shipments travel at purchaser's risk.

NO ORDERS WILL BE ACCEPTED ON B & B MATERIAL FOR SHIPMENT BY COMMON CARRIER CRATED OR BOXED.

CLAIMS: All sales are made with the understanding that we shall not be liable in event of crop loss, or of damage from other causes over which we have no control. We will gladly correct any errors, but we cannot entertain any claims that are not made within five days after receipt of the stock or are made after the stock has once been accepted. Claims should be made promptly in writing on receipt of stock. Plants become your property upon delivery to transportation company and we cannot be responsible for loss, damage, or delay in transit. All orders booked are based on the distinct understanding that the purchaser agrees to the condition of sales as stated above.

GUARANTEE OF GENUINENESS: We will send out healthy, thrifty stock, true to name. If any nursery stock proves untrue to description or variety name under which it is sold, we hold ourselves in readines on proper proof, to replace free of charge such stock that may prove untrue to description or name, or refund the original amount paid. We shall in no case be liable for any sum greater than the amount originally received for said stock.

INSPECTION. Certificate of inspection will be furnished with every shipment.

BOXES AND BALES will be charged at actual cost.

SPECIAL NOTICE. Correspondents are requested to use their printed business letterheads. We do not quote price to retail buyers. We use every effort to limit the distribution of trade prices to those whom we know to be entitled to receive them.

LOCATION. We are located on U. S. Route 113, 41/2 miles south of Milford, Delaware. We would be pleased to have you call and look over our nursery which covers about 150 acres.

TELEPHONES. Milford 4445, day or night.

E. L. Lynch or Paul E. Lynch

DON'T TAKE A CHANCE, but contact us before coming or sending for a load, unless your order has been previously received and acknowledged for a certain date.

All of our B&B trees are sewed, which are far superior to tying or nailing.

Plan to visit our nursery and look over our stock.